Yeman®

HOLLOW 2500

GAMING COMPUTER CASE

WELCOME TO YEYIAN

A NEW LEVEL OF WORLD GAMING

You're one of the millions of gamers. You can be the socially engaged, the sport fun, the explorer, the soldier, the builder or the strategist. All require sobrenatural reflexes, powerful machines, consistency and a strong tolerance for suffering hundreds of defeats at the hands of other players before the fun kicks in. But there is something unique required in a game, disruptive and exciting; a moment that allows you to control what happens next; the millisecond you feel intimidated, the move that will set you apart from the rest. Your decision in that moment, your confidence, your passion, and your determination to win, will take you to the monumental Victory.

Choose big, don't settle and always keep going.

Be part of the game.

Thank you for choosing us and welcome to our family.
Registering your products, you can enjoy exclusive news, contest, and giveaways.

USA: www.yeyian.us | MX: www.yeyian.mx | ES: www.yeyian.es

PRODUCT REGISTRATION

Information and releases

Promotions and updates

Giveaways and gifts

FEATURES

The Yeyian Hollow Series 2500 is the ideal PC Case for all gamers.



Tempered Glass
Cristal Templado

Motherboard Compatibility
Compatibilidad Placa Base

VGA Card Length: 13.38"
Longitud máxima de
la tarjeta VGA: 340mm

Maximum Air Flow
Máximo Flujo de Aire

Cable Management
Gestión de cables

PSU Support
Fuente de Poder Compatible

Includes 3 ARGB Fans
Incluye 3 ARGB Ventiladores

SPECIFICATIONS

Motherboard compatibility	ITX / Micro ATX / ATX
Max CPU Cooler Height	6.29 in / 160 mm
Max VGA Length	13.38 in / 340mm
3 ARGB Fans	140 mm
SSD Bay	2.5"SSD x2
HDD Bay	3.5" HDD x2
PSU Type	7.87 in



Yeyian®

HOLLOW 2500
GAMING COMPUTER CASE

FEATURES

DESIGN	
Number of 5.25" Bays	N / A
Form Factor	Mid-Tower
Max CPU Cooler Height	6.29 inches
Supported Motherboard Form Factor	ITX / Micro ATX / ATX
Max Length VGA	13.38 inches
Number of 2.5" Bays	2 or 3
Side Window	Rotational Glass Side Panel
Number of 3.5" Bays	1 or 2
Color of the Computer Case	Black
Case Type	Gaming
Lighting	ARGB Fan
Material	SPCC + Glass + Metal
PSU Format	Full Size

STORAGE MEDIA	
HDD Supported	2 Pieces

PORTS AND INTERFACES	
Audio Out	Yes
USB 3.0	3 USB 3.0
Audio In	Yes

POWER SUPPLY	
Included Power Supply	No

WEIGHT AND DIMENSIONS	
Weight	13.2 lbs
Height	17.85 inches
Depth	14.2 inches
Width	8.26 inches

ERGONOMICS	
LED Indicators	Yes (Blue + Red)

COOLING	
Size of Side Fan Supported	N / A
Size of Rear Fan Installed	N / A
Size of the Front Fan Supported or Radiator	4.72 inches x 3 / 5.51 inches x 3
Diameter of Supported Front Fans	4.72 inches / 5.51 inches
Max Front Fans Supported	3
Side Fans Max Diameter Supported	N / A
Rear Fan Max Diameter Supported	4.72 inches
Rear Radiator Max Fan Size Supported	4.72 inches
Max Upper Fan Supported	4.72 inches X 2 / 5.51 inches x 1

PACKING	
Packing Size	20.47 * 10.62 * 18.11 inches
Weight with Packing	13.66 lbs

WARRANTY	
Warranty	1 Year
EAN 13	7503028761074



1. Mainboard Installation

Install the motherboard into the holes of the case, lock the screws as shown in the picture, support the following motherboards ITX, Micro ATX, ATX.

(**Remark**: Each motherboard has different installation features. It is recommended that you refer to instruction manual during installation)

2. Power Supply Installation

Install the power supply as shown in the picture, and lock the four screws



3. Hard Disk Installation

The bracket can be equipped with a 3.5-inch HDD or a 2.5-inch SSD.



Screw out the screw in the picture A and take out the bracket in the direction of the arrow.



Align the 3.5-inch HDD or 2.5-inch SSD with the holes of the hard disk bracket, and lock it with the screws.



Slide the locked hard disk and the carrier into the guide rail in the direction of the arrow, and then lock it with the screw.

4. SSD Installation



Two SSDs can be installed in the position shown in the picture of the main board.



A 2.5-inch SSD or a 3.5-inch HDD can be installed in the bottom board. Align the screw holes with the hard disk as shown in the picture and screw up the hard disk.

5. Fan Installation

Top: **2 x 12 cm**
Front: **3 x 14cm**
or 3 x 12 cm
(can be locked outside or inside)
Rear: **1 x 12 cm**
PSU shroud: **2 x 12 cm**



6. Water Cooling Installation

The rear panel can be equipped with a 120mm water cooling, and the front panel can be equipped with a 360mm or 240mm water cooling.



Rear panel installation of 120mm water cooling.



Front panel installation of 360mm water cooling.



Front panel installation of 240mm water cooling.

7. VGA Card Installation



Installation method



Support vertical installation
*(Accesories not included)

8. Light Panel Installation (Optional)



Thread the wire of light panel through the hole indicated by the arrow.



Insert the right end of the light panel into the rack when the light panel is parallel to the PSU shroud panel as shown in the picture.



Push the light panel into the slot in the direction of the arrow.



Then insert and press the plastic fixing buckle into the hole shown in the picture, and screw up the light panel.

Distributed by / Distribuido por:
Vadeto Group

USA
10065 Via de la Amistad A2, San
Diego, CA 92154
Tel. +1.619.271.0384
www.yeyian.us

MÉXICO
Calz. José Guadalupe Gallo #8490-A
Col. Agua Blanca Industrial, Zapopan, Jalisco,
México
C.P. 45235 Tel. +52.33.1078.3404
www.yeyian.mx

ESPAÑA
CL Manuel Tovar N° 16 ,
28034 Madrid
Tel. +34.911.764.633
www.yeyian.es